



SAFETY SYSTEM®
YOUR PROTECTOR

Sir Safety System S.p.A. Single-member company
Wholly-owned subsidiary of Sir Holding Srl
Via dei Fornaciai, 9 - Santa Maria degli Angeli
06081 Assisi - Perugia - Italy
Tel.+39 075.8043737 - Fax +39 075.8048686

VAT Nr. IT 03359340548
Viale Europa 74
20090 Cusago Milano
Tel. +39 02.90394575
Fax +39 02.90394441

TECHNICAL SHEET

export@sirsafety.com
www.sirsafety.com



UNI EN ISO 9001:2015
UNI EN ISO 14001:2015

Name: CRYOGENIC GLOVE CRYOPLUS-2.1 38CM	Code: MA1722P0	MA17 COLD PROTECTION GLOVES
--	-----------------------	------------------------------------

Description

Fully waterproof glove to protect hand and forearm in operations involving Liquid Nitrogen (or other cryogenic gases).

Length 38 cm.

The glove is made entirely of a special composite fabric laminated with a polyurethane membrane. The special inner membrane allows breathability but does not allow liquids to penetrate inside. Protection from the cold is provided by a soft polyester fleece inner lining.



Made of composite materials specially designed for this application, it keeps hands warm and dry even during long periods of use.

The multilayer construction allows a high level of thermal protection, flexibility and dexterity at -60°C.

The product has been designed and manufactured to comply with Regulation (EU) 2016/425 and subsequent amendments.



Category III	Colours BLUE	Available Sizes Made to order: 8 - 11 In stock:
----------------------------	----------------------------	--

Quantity/Carton 5	EC Standards EN 388  Abrasion:1 Cut:3 Tear:4 Puncture:2 ISO Cutting:X	Important Information Fields of activity: Biology laboratories, biobanks, food industry, molecular cuisine, ice cream, chemical industry, scientific research, environmental technologies, medical technologies, information technology. Read the instructions carefully before use and refer to the levels of protections indicated. Store in a cool, dry place away from heat sources and away from light. Before each use, carry out a visual check to ensure that the device is in perfect condition, undamaged and clean, and replace it if it is not intact. Clean with a soft brush and NEVER with alcohol, solvents, petrols etc. Let it dry outdoors and NEVER on a direct heat source.
	EN 511  Convective Cold Resistance:2 Contact Cold Resistance:2 Water Permeable - Water Resistant:1	
Dexterity		Storage and cleaning